

ELECTRONIC TRANSMISSION

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

| | | | |
|--------------|--|------------------|--------|
| Patent No. | : 7,640,050 B2 | Confirmation No. | : 2857 |
| Inventor | : William V. Glenn, Jr. et al. | | |
| Issued | : December 29, 2009 | | |
| Art Unit | : 3768 | | |
| Examiner | : Katherine L. Fernandez | | |
| Title | : SYSTEM AND METHOD FOR ANALYZING AND DISPLAYING COMPUTED TOMOGRAPHY DATA | | |
| Docket No.: | : GLENN-69462 | | |
| Customer No. | : 24201 | | |

REQUEST FOR CERTIFICATE OF CORRECTION

Certificate of Corrections Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Sir:

The above-identified patent application file has been found to have the errors set forth in the enclosed Certificate of Correction. It is requested that a Certificate of Correction be issued and returned to us. Some of the errors that appear in the above-identified patent occurred in the final printing phase of the patent and some of the errors are of a clerical, typographical or minor nature or character, as more fully described below.

The errors are verifiable in the patent application file as follows:

ERROR

Column 5, line 49, after "of" insert --the--.

Column 8, line 29, after "that" delete "allows".

Column 12, line 45, after "also" insert --be--.

Column 12, line 50, after "whether" delete "relative" and insert instead --relatively--.

Column 13, line 37, delete "it" and insert instead --is--.

Column 14, line 6, after "used" delete "to".

Column 18, line 45, after "approach" insert --are--.

Column 18, line 55, after "windowed)" delete "these".

Column 21, line 8, after methods "of".

Column 21, line 15, after "system" delete "or" and insert instead --for--.

Column 30, line 37, after "advancing the" delete "staffing" and insert instead --starting--.

Column 30, line 44, after "structure" delete "in" and insert instead --is--.

VERIFICATION

Applicant's error.

Applicant's error.

Applicant's error.

Applicant's error.

Applicant's error.

Applicant's error.

Applicant's error.

Applicant's error.

Applicant's error.

Applicant's error.

PTO error. See Amendment After Final dated 7/21/09 at page 4.

Applicant's error.

Applicant's errors occurred in good faith. Correction thereof does not involve such changes in the patent as would constitute new matter or would require re-examination. It is requested that a Certificate of Correction be issued and returned to us. The amount of \$100.00 to cover the necessary fees is being submitted by credit card payment electronically. If any additional fees are needed, please charge Deposit Account No. 06-2425.

Attached hereto is Form PTO/SB/44 which is suitable for printing. This document is being transmitted electronically.

Date: November 2, 2010

Respectfully submitted,

FULWIDER PATTON LLP

By: _____
John K. Fitzgerald, Registration No. 38,881

JKF:he

FULWIDER PATTON LLP
Howard Hughes Center
6060 Center Drive, Tenth Floor
Los Angeles, CA 90045
Telephone: (310) 824-5555
Facsimile: (310) 824-9696
Customer No. 24201

425658.1